



AGRICULTURAL SPRAYERS

SAR-TAS-1000



SAR-57950
Piring Basınç Filtresi



SAR-07806
Stoperli Meme



SAR-08015
Baymatik Regülatör



SAR-05713
Tonluk Sarı Uçlu
Karıştırıcı



SAR-5030
220 Litre Mandallı
Filtre



SAR-145
4 Mebranlı Pompa



TECNICAL SPECIFICATION

| | |
|------------------|---------------------------|
| Pump Type | SAR-105 / SAR-145 |
| Pump Bar | 40 Bar |
| Nozzle Type | Plastic / Brass Anti Drip |
| Number Of Nozzle | 10 / 14 / 16 |
| Rpm | 540 |
| Tank Type | Plastic / Fiber Glass |
| Fan Dia. | 75 / 85 / 90 ø |





SAR-57950
Pirinç Basınç Filtresi



SAR-07806
Stoperli Meme




SAR-08015
Baymatik Regülatör



SAR-05713
Tonluk Sarı Uçlu
Karıştırıcı



SAR-5030
220 Litre Mandallı
Filtre



SAR-145
4 Mebranlı Pompa



SAR-05046
Hat Filtre 60 Bar



SAR-07950
Pirinç Basınç Filtresi



Fan Opsiyon
75 ø - Boyalı
75 ø - Krom



Fan Opsiyon
60 ø - Boyalı
60 ø - Krom

TECNICAL SPECIFICATION

| | |
|------------------|---------------------------|
| Pump Type | SAR-80 / SAR-105 |
| Pump Bar | 40 Bar |
| Nozzle Type | Plastic / Brass Anti Drip |
| Number Of Nozzle | 8 / 10 |
| Rpm | 540 |
| Tank Type | Plastic / Fiber Glass |
| Fan Dia. | 60 / 75 ø |

SAR-MTA-400E



SAR-5215 Doldurucu
Saru Uçlu



SAR-07806
Stoperli Meme



SAR-03116 VDR50
3 Çıkışlı Regülatör



SAR-03133/A
Turbo Kasnak



SAR-5020
120 Litre Filtre



SAR-105 4 Mebranlı
Hava Tüplü Turbo
Pompa



TECNICAL SPECIFICATION

Pump Type SAR-80 / SAR-105

Pump Bar 40 Bar

Nozzle Type Plastic / Brass Anti Drip

Number Of Nozzle 8 / 10

Rpm 540

Tank Type Plastic / Fiber Glass

Fan Dia. 60 / 75 ø



SAR-05046
Hat Filtre 60 Bar



SAR-07950
Pirinç Basınç Filtresi



Fan Opsiyon
75 ø - Boyalı
75 ø - Krom



Fan Opsiyon
60 ø - Boyalı
60 ø - Krom



SAR-5215 Doldurucu
Saru Uçlu



SAR-07806
Stoperli Meme



SAR-03116 VDR50
3 Çıkışlı Regülatör



SAR-03133/A
Turbo Kasnak



SAR-105 4 Mebranlı
Hava Tüplü Turbo
Pompa



SAR-5020
120 Litre Filtre



TECNICAL SPECIFICATION

| | |
|------------------|---------------------------|
| Pump Type | SAR-80 / SAR-105 |
| Pump Bar | 40 Bar |
| Nozzle Type | Plastic / Brass Anti Drip |
| Number Of Nozzle | 8 / 10 |
| Rpm | 540 |
| Tank Type | Plastic / Fiber Glass |
| Fan Dia. | 60 / 75 ø |



SAR-05046
Hat Filtre 60 Bar



SAR-07950
Piriç Basınç Filtresi



Fan Opsiyon
75 ø - Boyalı
75 ø - Krom



Fan Opsiyon
60 ø - Boyalı
60 ø - Krom

SAR-MTA-600EP



SAR-5215 Doldurucu
Saru Uçlu



SAR-07806
Stoperli Meme




SAR-03116 VDR50
3 Çıkışlı Regülatör



SAR-03133/A
Turbo Kasknak



SAR-105 4 Mebranlı
Hava Tüplü Turbo
Pompa



SAR-5020
120 Litre Filtre



TECNICAL SPECIFICATION

| | |
|------------------|---------------------------|
| Pump Type | SAR-80 / SAR-105 |
| Pump Bar | 40 Bar |
| Nozzle Type | Plastic / Brass Anti Drip |
| Number Of Nozzle | 8 / 10 |
| Rpm | 540 |
| Tank Type | Plastic / Fiber Glass |
| Fan Dia. | 60 / 75 ø |



SAR-05046
Hat Filtre 60 Bar



SAR-07950
Pirinç Basınç Filtresi



Fan Opsiyon
75 ø - Boyalı
75 ø - Krom



Fan Opsiyon
60 ø - Boyalı
60 ø - Krom




SAR-5215 Doldurucu
Saru Uçlu



SAR-07805
Kelepçeli Meme



SAR-3117
VDR 50



SAR-07010
120x50 Hortum
Taşıyıcı



SAR-5030
Üç Yollu Mandallı
Filtre



SAR-105 4 Mebranlı
Hava Tüplü Turbo
Pompa

TECNICAL SPECIFICATION

| | |
|------------------|---------------------------|
| Pump Type | SAR-80 / SAR-105 |
| Pump Bar | 40 Bar |
| Nozzle Type | Plastic / Brass Anti Drip |
| Number Of Nozzle | 32 |
| Rpm | 540 |
| Tank Type | Plastic |




SAR-MFS-1000-16E



SAR-5215 Doldurucu
Saru Uçlu



SAR-07805
Kelepçeli Meme




SAR-3117
VDR 50



SAR-07010
120x50 Hortum
Taşıyıcı



SAR-5030
Üç Yollu Mandallı
Filtre



SAR-105 4 Mebranlı
Hava Tüplü Turbo
Pompa

TECNICAL SPECIFICATION

| | |
|------------------|---------------------------|
| Pump Type | SAR-80 / SAR-105 |
| Pump Bar | 40 Bar |
| Nozzle Type | Plastic / Brass Anti Drip |
| Number Of Nozzle | 32 |
| Rpm | 540 |
| Tank Type | Plastic |





SAR-5215 Doldurucu
Saru Uçlu



SAR-07805
Kelepçeli Meme



SAR-3106
Yağlı Saat




SAR-03100
3 Çıkışlı Regülatör



SAR-5020
120 Litre Filtre



SAR-C71 3
Mebranlı Pompa



TECNICAL SPECIFICATION

| | |
|------------------|---------------------------|
| Pump Type | SAR-C71 |
| Pump Bar | 40 Bar |
| Nozzle Type | Plastic / Brass Anti Drip |
| Number Of Nozzle | 20 |
| Rpm | 540 |
| Tank Type | Plastic |

SAR-MFS-400-10F



SAR-5215 Doldurucu
Saru Uçlu



SAR-07805
Kelepçeli Meme



SAR-3106
Yağlı Saat



SAR-03100
3 Çıkışlı Regülatör



SAR-5020
120 Litre Filtre



SAR-80
3 Mebranlı Pompa



TECNICAL SPECIFICATION

| | |
|------------------|---------------------------|
| Pump Type | SAR-80 / SAR-105 |
| Pump Bar | 40 Bar |
| Nozzle Type | Plastic / Brass Anti Drip |
| Number Of Nozzle | 20 |
| Rpm | 540 |
| Tank Type | Fiber Glass |





SAR-5215 Doldurucu
Saru Uçlu



SAR-07805
Kelepçeli Meme



SAR-3106
Yağlı Saat




SAR-03100
3 Çıkışlı Regülatör



SAR-5020
120 Litre Filtre



SAR-80
3 Mebranlı Pompa



TECNICAL SPECIFICATION


| | |
|------------------|---------------------------|
| Pump Type | SAR-80 / SAR-105 |
| Pump Bar | 40 Bar |
| Nozzle Type | Plastic / Brass Anti Drip |
| Number Of Nozzle | 20 |
| Rpm | 540 |
| Tank Type | Plastic |



SAR-MFS-500-10E



SAR-5215 Doldurucu
Saru Uçlu



SAR-07805
Kelepçeli Meme



SAR-3106
Yağlı Saç




SAR-03100
3 Çıkışlı Regülatör



SAR-5020
120 Litre Filtre



SAR-80
3 Mebranlı Pompa



TECNICAL SPECIFICATION

| | |
|------------------|---------------------------|
| Pump Type | SAR-80 / SAR-105 |
| Pump Bar | 40 Bar |
| Nozzle Type | Plastic / Brass Anti Drip |
| Number Of Nozzle | 20 |
| Rpm | 540 |
| Tank Type | Plastic |



SAR-5215 Doldurucu
Saru Uçlu



SAR-07805
Kelepçeli Meme



SAR-3106
Yağlı Saat




SAR-03100
3 Çıkışlı Regülatör



SAR-5020
120 Litre Filtre



SAR-80
3 Mebranlı Pompa



TECNICAL SPECIFICATION

| | |
|------------------|---------------------------|
| Pump Type | SAR-80 / SAR-105 |
| Pump Bar | 40 Bar |
| Nozzle Type | Plastic / Brass Anti Drip |
| Number Of Nozzle | 20 |
| Rpm | 540 |
| Tank Type | Plastic |

SAR-MFS-600-10EF



SAR-5215 Doldurucu
Saru Uçlu



SAR-07805
Kelepçeli Meme



SAR-3106
Yağlı Saat




SAR-03100
3 Çıkışlı Regülatör



SAR-5020
120 Litre Filtre



SAR-80
3 Mebranlı Pompa



TECNICAL SPECIFICATION

| | |
|------------------|---------------------------|
| Pump Type | SAR-80 / SAR-105 |
| Pump Bar | 40 Bar |
| Nozzle Type | Plastic / Brass Anti Drip |
| Number Of Nozzle | 20 |
| Rpm | 540 |
| Tank Type | Plastic / Fiber Glass |





SAR-5215 Doldurucu
Saru Uçlu



SAR-07805
Kelepçeli Meme



SAR-3106
Yağlı Saat



SAR-03100
3 Çıkışlı Regülatör



SAR-5020
120 Litre Filtre



SAR-80
3 Mebranlı Pompa




TECNICAL SPECIFICATION

| | |
|------------------|---------------------------|
| Pump Type | SAR-80 / SAR-105 |
| Pump Bar | 40 Bar |
| Nozzle Type | Plastic / Brass Anti Drip |
| Number Of Nozzle | 20 |
| Rpm | 540 |
| Tank Type | Plastic |

SAR-MFS-1000-12E



SAR-5215 Doldurucu
Saru Uçlu



SAR-07805
Kelepçeli Meme



SAR-3106
Yağlı Saat



SAR-03100
3 Çıkışlı Regülatör



SAR-5020
120 Litre Filtre



SAR-80
3 Mebranlı Pompa



TECNICAL SPECIFIACITION

| | |
|------------------|---------------------------|
| Pump Type | SAR-80 / SAR-105 |
| Pump Bar | 40 Bar |
| Nozzle Type | Plastic / Brass Anti Drip |
| Number Of Nozzle | 24 |
| Rpm | 540 |
| Tank Type | Plastic |





TECNICAL SPECIFICATION

| | |
|-----------|---------------------------|
| Pump Type | Pn22 Litre Pistonlu Pompa |
| Gasoline | 6,5 Beygir Benzinli Motor |
| Pump Bar | 20 Bar |
| Rpm | 350 |



6,5 Beygir Motor



PN 22



SAR Model
Hortum Sarma
Makinası



SAR-01002
Çevirmeli Kısa
Tabanca

SAR-GS-200E



TECNICAL SPECIFICATION

| | |
|-----------|---------------------------|
| Pump Type | Pn22 Litre Pistonlu Pompa |
| Gasoline | 6,5 Beygir Benzinli Motor |
| Pump Bar | 20 Bar |
| Rpm | 350 |

SAR-GS-100E



TECNICAL SPECIFICATION


| | |
|------------|---------------------------|
| Pump Type | Pn22 Litre Pistonlu Pompa |
| Electrical | 1,5 Kw dk/1500 devir 220V |
| Pump Bar | 20 Bar |
| Rpm | 350 |



1,5 Kw Motor



PN 22



SAR Model
Hortum Sarma
Makinası



SAR-01002
Çevirmeli Kısa
Tabanca

SAR-GS-200E



TECNICAL SPECIFICATION

| | |
|------------|---------------------------|
| Pump Type | Pn22 Litre Pistonlu Pompa |
| Electrical | 1,5 Kw dk/1500 devir 220V |
| Pump Bar | 20 Bar |
| Rpm | 350 |





Büsan OSB. Fevzi Çakmak Mh. 10670 Sk.
No:28/A Karatay/KONYA/TURKEY
+90 332 248 12 72
+90 332 249 82 26
www.saragri.com
info@saragri.com
export@saragri.com